

Wirgo (VRG 1)*F₁ cms hybrid*

Origin:	Poland
Breeder:	Institute of Soil Science and Plant Cultivation- National Research Institute
Contact:	www.iung.pulawy.pl
Type:	filler
Description	
<p>Hybrid variety closely related to cv. Wislica. Requires moderately fertile soils, at high N rates makes profuse growth and delays maturity. Moderately slow growth after transplanting, rather compact habit, with fairly densely spaced internodes, low to middle position leaves typical of Virginia, upper leaves and flowers show some semi-oriental features, medium-late flowering, medium late maturity, high yields, good curability, cured leaf of good texture, body thin to moderately thick, first Polish flue-cured variety resistant to black root rot, susceptible to Sclerotinia rot</p>	

**MAIN CHARACTERISTICS**

Resistances:	
Black root rot:	R
Powdery mildew:	nd
Blue mold:	MT
PVY:	R
TMV:	nd
Nematodes:	s
Other:	

R: resistant – S: sensitive

nd: no data MT- moderately tolerant

Production data ()::		
Country:	Acreage:	% of total acreage:
Poland	100 ha	0.9 %

Agronomical data and Chemical data			
		% of AERET standard *	% of local standard**
Yield (kg/ha):	4000		114
Grade index:	82		104
Maturity:	medium late		
Nicotine content (%):	1.3		118
Reducing sugars (%):	15		94

* AERET standard variety:

** local standard variety:

REMARKS: